



**inventronics**

Profiles & Accessories



# INDEX

## **2 SURFACE MOUNTED PROFILES**

- 4 Products Overview
- 6 Surface slim profile 15x6 mm
- 7 Surface slim profile 16x12 mm
- 8 Minimal surface slim profile 15x10 mm
- 9 Optical surface slim profile 16x12 mm
- 10 Surface wide profile 26x10 mm
- 11 Surface wide profile 26x25 mm

## **14 RECESSED PROFILES**

- 16 Products Overview
- 17 Recessed slim profile 15x6 mm
- 18 Recessed slim profile 16x12 mm
- 19 Recessed wide profile 26x25 mm


## **22 SPECIAL PROFILES**

- 24 Products Overview
- 26 Corner surface slim profile 19x19 mm
- 27 Corner surface wide profile 46x27 mm
- 28 Pendant wide profile 56x70 mm
- 29 Wall profile 25x110 mm

## **32 LIGHT DISTRIBUTION CURVES**


## **36 SYSTEM UNIFORMITY MATCHING TABLE**

## **38 FLEX SUMMARY**



# SURFACE MOUNTED PROFILES





Surface slim  
profile 15x6 mm



Surface slim  
profile 16x12 mm



Minimal surface  
slim profile 15x10 mm



**SURFACE MOUNTED  
PROFILES**


Optical surface slim  
profile 12x16 mm




Surface wide  
profile 26x10 mm




Surface wide  
profile 26x25 mm






## SURFACE MOUNTED PROFILES


# Surface slim profile 15x6 mm



EAN10	Product Name	Box Composition	L	W	H
6977078994378	1 QMS   Aluminium Profile 3m   TU15H6   G2	1 pc	3000 mm	16 mm	6 mm
4052899446991	2 QMS   Cover Flat Opal PU 3m   G2	1 pc	3000 mm	13 mm	4 mm
4052899999749	3 QMS   Cover Flat Transparent PU 3m   G2	1 pc	3000 mm	13 mm	4 mm
6977078994699	4 QMS   End Caps Square Grey PU   TU15H6   G2	40 pcs	9 mm	16 mm	6 mm
6977078994781	5 QMS   End Caps Square Grey PU with hole   TU15H6   G2	40 pcs	9 mm	16 mm	6 mm
4052899446861	6 QMW   Mounting Brackets Aluminium   G1	40 pcs	20 mm	17 mm	10 mm
4052899600010	7 QMW   Adjustable Brackets Grey PU   G1	40 pcs	20 mm	22 mm	19 mm




## ACCESSORIES



2




3




4



5




6




7






## SURFACE MOUNTED PROFILES


# Surface slim profile 16x12 mm



EAN10	Product Name	Box Composition	L	W	H
4052899448964	1 QMS   Aluminium Profile 3m   TU16H12   G2	1 pc	3000 mm	16 mm	12 mm
4052899446991	2 QMS   Cover Flat Opal PU 3m   G1	1 pc	3000 mm	13 mm	4 mm
4052899999749	3 QMS   Cover Flat Transparent PU 3m   G1	1 pc	3000 mm	13 mm	4 mm
4052899449183	4 QMS   End Caps Square Grey PU   TU16H12   G2	40 pcs	10 mm	16 mm	12 mm
4052899999848	5 QMS   End Caps Square Grey PU with hole   TU16H12   G2	40 pcs	10 mm	16 mm	12 mm
4052899446861	6 QMW   Mounting Brackets Aluminium   G1	40 pcs	20 mm	17 mm	10 mm
4052899600010	7 QMW   Adjustable Brackets Grey PU   G1	40 pcs	20 mm	22 mm	19 mm




## ACCESSORIES




2




3




4



5



6




7










SURFACE MOUNTED PROFILES

# Minimal surface slim profile 15x10 mm




EAN10	Product Name	Box Composition	L	W	H
<b>4062172207300</b>	<b>1</b> LTS   Aluminium Profile 2m   Slimtrack   G1	5 pcs	2000 mm	15 mm	10 mm
<b>4062172207348</b>	<b>2</b> LTS   Cover Flat Transparent PU 2m   G1	5 pcs	2000 mm	18 mm	5 mm
<b>4062172212151</b>	<b>3</b> LTS   End Caps Flat Grey PU   G1	20 pcs	7 mm	20 mm	13 mm
<b>4062172207324</b>	<b>4</b> LTS   Cover Flat High Opal PU 2m   G1	5 pcs	2000 mm	18 mm	10 mm
<b>4062172212137</b>	<b>5</b> LTS   End Caps Flat High Grey PU   G1	20 pcs	7 mm	20 mm	18 mm
<b>4062172257466</b>	<b>6</b> LTS   Cover Round Opal PU 2m   G1	5 pcs	2000 mm	18 mm	24 mm
<b>4062172212090</b>	<b>7</b> LTS   Mounting Brackets Grey PU   G2	20 pcs	34 mm	18 mm	10 mm




ACCESSORIES



**2**




**3**




**4**



**5**



**6**




**7**




SURFACE MOUNTED PROFILES

# Optical surface slim profile 16x12 mm



EAN10	Product Name	Box Composition	L	W	H
4052899449046	1 QMS   Aluminium Profile 3m   TU16H12LS   G1	1 pc	3000 mm	16 mm	12 mm
4052899447783	2 QMS   Cover Optical Round Transparent PU 3m   G1	1 pc	3000 mm	15 mm	10 mm
4052899449879	3 QMS   End Caps Square Grey PU   TU16H12LS   G1	40 pcs	10 mm	16 mm	18 mm
4052899999961	4 QMS   End Caps Square Grey PU with hole   TU16H12LS   G1	40 pcs	10 mm	16 mm	18 mm
4052899446861	5 QMW   Mounting Brackets Aluminium   G1	40 pcs	20 mm	17 mm	10 mm
4052899600010	6 QMW   Adjustable Brackets Grey PU   G1	40 pcs	20 mm	22 mm	19 mm




## ACCESSORIES











SURFACE MOUNTED PROFILES


# Surface wide profile 26x10 mm



EAN10	Product Name	Box Composition	L	W	H
4062172342636	1 QMS   Aluminium Profile 2m   TU26H10   G2	5 pcs	2000 mm	26 mm	10 mm
4062172342674	2 QMW   Cover Round Frosted PU 2m   G2	5 pcs	2000 mm	26 mm	19 mm
4062172342698	3 QMW   End Caps Square Grey PU   TU26H10   G2	20 pcs	10 mm	26 mm	25 mm
4062172342759	4 QMW   Mounting Brackets Grey PU   G2	20 pcs	39 mm	29 mm	10 mm
4062172342773	5 QMW   Adjustable Brackets Grey PU   G2	20 pcs	21 mm	29 mm	15 mm
4062172342797	6 QMW   Aluminium Springs   G2	20 pcs	10 mm	60 mm	34 mm




## ACCESSORIES




2




3



4



5




6




SURFACE MOUNTED PROFILES

# Surface wide profile 26x25 mm



EAN10	Product Name	Box Composition	L	W	H
<b>4062172342612</b>	<b>1</b> QMW   Aluminium Profile 2m   TU26H25   G2	5 pcs	2000 mm	26 mm	25 mm
<b>4062172342674</b>	<b>2</b> QMW   Cover Round Frosted PU 2m   G2	5 pcs	2000 mm	26 mm	19 mm
<b>4062172342735</b>	<b>3</b> QMW   End Caps Round Grey PU   TU26H25   G2	20 pcs	10 mm	26 mm	40 mm
<b>4062172342650</b>	<b>4</b> QMW   Cover Flat Frosted PU 2m   G2	5 pcs	2000 mm	26 mm	5 mm
<b>4062172342711</b>	<b>5</b> QMW   End Caps Square Grey PU   TU26H25   G2	20 pcs	10 mm	26 mm	26 mm
<b>4062172342759</b>	<b>6</b> QMW   Mounting Brackets Grey PU   G2	20 pcs	39 mm	29 mm	10 mm
<b>4062172342773</b>	<b>7</b> QMW   Adjustable Brackets Grey PU   G2	20 pcs	21 mm	29 mm	15 mm
<b>4062172342797</b>	<b>8</b> QMW   Aluminium Springs   G2	20 pcs	10 mm	60 mm	34 mm




ACCESSORIES



# PRODUCT'S COMPONENTS


LTS | Mounting Brackets  
Grey PU | G2



Minimal surface slim profile  
15x10 mm



LTS | End Caps Flat High  
Grey PU | G1



Strip LED

LTS | Cover Flat High  
Opal PU 2m | G1



# HIMMLISCHES THEATER MUSEUM




## LOCATION

Stift Neuzelle, Germany


## LIGHTING DESIGN

Konzeptlicht lighting solutions GmbH

# RECESSED PROFILES








Recessed slim  
profile 15x6 mm



Recessed slim  
profile 16x12 mm



Recessed wide  
profile 26x25 mm



**RECESSED  
PROFILES**




## RECESSED PROFILES





# Recessed slim profile 15x6 mm



EAN10	Product Name	Box Composition	L	W	H
4052899448889	1 QMS   Aluminium Profile 3m   TU15H6W3   G2	1 pc	3000 mm	22 mm	6 mm
4052899446991	2 QMS   Cover Flat Frosted PU 3m   G1	1 pc	3000 mm	13 mm	4 mm
4052899999749	3 QMS   Cover Flat Transparent PU 3m   G1	1 pc	3000 mm	13 mm	4 mm
4052899449138	4 QMS   End Caps Square Grey PU   TU15H6W3   G2	40 pcs	22 mm	22 mm	6 mm
4052899999947	5 QMS   End Caps Square Grey PU with hole   TU15H6W3   G2	40 pcs	22 mm	22 mm	6 mm



## ACCESSORIES






RECESSED PROFILES


# Recessed slim profile 16x12 mm



EAN10	Product Name	Box Composition	L	W	H
6977078994712	1 QMS   Aluminium Profile 3m   TU16H12W3   G2	1 pc	3000 mm	22 mm	12 mm
4052899446991	2 QMS   Cover Flat Opal PU 3m   G1	1 pc	3000 mm	13 mm	4 mm
4052899999749	3 QMS   Cover Flat Transparent PU 3m   G1	1 pc	3000 mm	13 mm	4 mm
6977078994750	4 QMS   End Caps Square Grey PU   TU16H12W3   G2	40 pcs	22 mm	22 mm	12 mm
6977078994736	5 QMS   End Caps Square Grey PU with hole   TU16H12W3   G2	40 pcs	22 mm	22 mm	12 mm



## ACCESSORIES




2

3

4

5











## RECESSED PROFILES


# Recessed wide profile 26x25 mm



EAN10	Product Name	Box Composition	L	W	H
4062172342612	1 QMW   Aluminium Profile 2m   TU26H25   G2	5 pcs	2000 mm	44 mm	26 mm
4062172342674	2 QMW   Cover Round Frosted PU 2m   G2	5 pcs	2000 mm	26 mm	19 mm
4062172342735	3 QMW   End Caps Round Grey PU   TU26H25   G2	20 pcs	10 mm	26 mm	40 mm
4062172342650	4 QMW   Cover Flat Frosted PU 2m   G2	5 pcs	2000 mm	26 mm	5 mm
4062172342711	5 QMW   End Caps Square Grey PU   TU26H25   G2	20 pcs	10 mm	26 mm	26 mm
4062172342759	6 QMW   Mounting Brackets Grey PU   G2	20 pcs	39 mm	29 mm	10 mm
4062172342773	7 QMW   Adjustable Brackets Grey PU   G2	20 pcs	21 mm	29 mm	15 mm
4062172342797	8 QMW   Aluminium Springs   G2	20 pcs	15 mm	51 mm	39 mm



## ACCESSORIES



2




3




4



5



6




7



8

# PRODUCT'S COMPONENTS

QMW | End Caps Square  
Grey PU | TU26H25 | G2



# NAMMOS RESTAURANT



## LOCATION

Dubai


## LIGHTING DESIGN


Huda Lighting & Elastic Architects

# SPECIAL PROFILES









Corner surface wide  
profile 46x27 mm

Pendant profile  
updown 56x70

**SPECIAL  
PROFILES**


Corner surface slim  
profile 19x19 mm

Wall profile updown  
25x110




SPECIAL PROFILES



# Corner surface slim profile 19x19 mm




EAN10	Product Name	Box Composition	L	W	H
4052899448667	1 QMS   Aluminium Profile 3 m   T45D19H19   G1	1 pc	3000 mm	19 mm	19 mm
4052899446991	2 QMS   Cover Flat Opal PU 3 m   G1	1 pc	3000 mm	13 mm	4 mm
4052899999749	3 QMS   Cover Flat Transparent PU 3 m   G1	1 pc	3000 mm	13 mm	4 mm
4052899450028	4 QMS   End Caps Grey PU   T45D19H19   G1	40 pcs	22 mm	19 mm	19 mm
4052899999862	5 QMS   End Caps Grey PU with hole   T45D19H19   G1	40 pcs	22 mm	19 mm	19 mm
4052899446960	6 QMS   Mounting Brackets Aluminium   G1	40 pcs	20 mm	20 mm	10 mm





ACCESSORIES






SPECIAL PROFILES

# Corner surface wide profile 46x27 mm




EAN10	Product Name	Box Composition	L	W	H
<b>4052899448827</b>	<b>1</b> QMW   Aluminium Profile 3 m & 14 pcs of clips   TK30D46H27   G1	1 pc	3000 mm	46 mm	27 mm
<b>4052899447806</b>	<b>2</b> QMW   Cover Round Frosted PC 3 m   G1	1 pc	3000 mm	24 mm	20 mm
<b>4052899447035</b>	<b>3</b> QMW   Cover Flat Frosted PC 3 m   G1	1 pc	3000 mm	22 mm	4 mm
<b>4052899450059</b>	<b>4</b> QMW   End Caps Left Grey PU   TK30D46H27   G1	40 pcs	8 mm	46 mm	27 mm
<b>4052899449909</b>	<b>5</b> QMW   End Caps Right Grey PU   TK30D46H27   G1	40 pcs	8 mm	46 mm	27 mm
<b>4052899446731</b>	<b>6</b> QMW   Clips for combining 2 parts PU   G1	40 pcs	9 mm	6 mm	6 mm


ACCESSORIES




2



3



4



5





6



## SPECIAL PROFILES

# Pendant wide profile 56x70 mm



- 1
- 2
- 3

EAN10	Product Name	Box Composition	L	W	H
6977078997805	1 FX-QMP-G1-TU56H70-BK-010QMP   Aluminium profile 1 m   TU56H70   G1   Black	1 pc	1000 mm	56 mm	70 mm
6977078997836	2 FX-QMP-G1-TU56H70-BK-015QMP   Aluminium profile 1,5 m   TU56H70   G1   Black	1 pc	1500 mm	56 mm	70 mm
6977078997867	3 FX-QMP-G1-TU56H70-BK-020QMP   Aluminium profile 2 m   TU56H70   G1   Black	1 pc	2000 mm	56 mm	70 mm
6977078997898	1 FX-QMP-G1-TU56H70-WH-010QMP   Aluminium profile 1m   TU56H70   G1   White	1 pc	1000 mm	56 mm	70 mm
6977078997928	2 FX-QMP-G1-TU56H70-WH-015QMP   Aluminium profile 1,5 m   TU56H70   G1   White	1 pc	1500 mm	56 mm	70 mm
6977078997959	3 FX-QMP-G1-TU56H70-WH-020QMP   Aluminium profile 2 m   TU56H70   G1   White	1 pc	2000 mm	56 mm	70 mm
6977078998192	4 FX-QMP-G1-CFDP-TU56H70-010QMP   Cover Flat Frosted PU 1 m   G1	1 pc	1000 mm	49 mm	2 mm
6977078998222	5 FX-QMP-G1-CFDP-TU56H70-020QMP   Cover Flat Frosted PU 2m   G1	1 pc	2000 mm	49 mm	2 mm
6977078998253	6 FX-QMP-G1-CFMP-TU56H70-010QMP   Cover Flat Microprismatic PU 1 m   G1	1 pc	1000 mm	49 mm	2 mm
6977078998284	7 FX-QMP-G1-CFMP-TU56H70-020QMP   Cover Flat Microprismatic PU 2 m   G1	1 pc	2000 mm	49 mm	2 mm

- 4
- 5
- 6
- 7


## ACCESSORIES




2



2





4



6

SPECIAL PROFILES


# Wall profile 25x110 mm




- 1
- 2
- 3

EAN10	Product Name	Box Composition	L	W	H
6977078998017	1 FX-QMR-G1-TT25H110-BK-005QMR   Aluminium profile 0,5 m   TT25H110   G1   Black	1 pc	500 mm	22 mm	110 mm
6977078998048	2 FX-QMR-G1-TT25H110-BK-010QMR   Aluminium profile 1 m   TT25H110   G1   Black	1 pc	1000 mm	22 mm	110 mm
6977078998079	3 FX-QMR-G1-TT25H110-BK-015QMR   Aluminium profile 1,5 m   TT25H110   G1   Black	1 pc	1500 mm	22 mm	110 mm
6977078998109	1 FX-QMR-G1-TT25H110-WH-005QMR   Aluminium profile 0,5 m   TT25H110   G1   White	1 pc	500 mm	22 mm	110 mm
6977078998130	2 FX-QMR-G1-TT25H110-WH-010QMR   Aluminium profile 1m   TT25H110   G1   White	1 pc	1000 mm	22 mm	110 mm
6977078998161	3 FX-QMR-G1-TT25H110-WH-015QMR   Aluminium profile 1,5 m   TT25H110   G1   White	1 pc	1500 mm	22 mm	110 mm

## ACCESSORIES




2



2

# PRODUCT'S COMPONENTS





























# DIEZ ARENA FITNESS CENTER



















## LOCATION















Diez, Germany

# LIGHT DISTRIBUTION CURVES
















Profile	Cover	Optical Performance
<b>Minimal surface slim profile 15x10 mm</b> 	Flat Transparent 	-20%  
	Flat High Opal 	-35%  
	Round opal 	-40%  
<b>Surface slim profile 15x6 mm</b> 	Transparent 	-15%  
	Opal 	-40%  
<b>Surface slim profile 16x12 mm</b> 	Transparent 	-24%  
	Opal 	-45%  

Profile	Cover	Optical Performance
<b>Optical surface slim profile 16x12 mm</b> 	10° 	-30%  
	30° 	-30%  
	45° 	-30%  
	60° 	-30%  
	90° 	-30%  














# LIGHT DISTRIBUTION CURVES










Profile	Cover	Optical Performance		
<b>Surface wide profile</b> <b>26x10 mm</b> 	Flat Frosted 	-35%		
	Round Frosted 	-30%		
<b>Surface wide profile</b> <b>26x25 mm</b> 	Flat Frosted 	-55%		
	Round Frosted 	-50%		

# LIGHT DISTRIBUTION CURVES

Profile	Cover	Optical Performance		
<b>Recessed slim profile</b> <b>15x6 mm</b> 	Transparent	-15%		
	Opal	-40%		
<b>Recessed slim profile</b> <b>16x12 mm</b> 	Transparent	-24%		
	Opal	-45%		
<b>Recessed wide profile</b> <b>26x25 mm</b> 	Flat Frosted	-55%		
	Round Frosted	-50%		

# LIGHT DISTRIBUTION CURVES

Profile	Cover	Optical Performance
<b>Corner surface slim profile 19x19 mm</b> 	Transparent	-38%  
	Opal	-57%  
<b>Corner surface wide profile 46x27 mm</b> 	Round Frosted	-39%  
	Flat Frosted	-43%  
<b>Wall profile 25x110 mm</b> 		-70%  

Profile	Cover	Optical Performance
<b>Pendant wide profile 56x70 mm</b> 	Opal	-40%  
	Microplastic	-26%  
	Opal	-40%  
	Flat Frosted	-32%  

# SYSTEM UNIFORMITY MATCHING TABLE


3 levels of uniformity:



	Indoor / Outdoor					
LINEARlight FLEX	Infinite (80)	Uniformity (140)	Tunable White (160)	Monochrome (120)	RGB (50)	RGB(W) (60)
TEC FLEX	Power (70)	Shortpitch (140)	Tunable White (160)		RGB (50)	RGB(W) (60)

SURFACE							
Minimal surface slim profile 15x10 mm	Flat Transparent	1	1	1	1	1	1
	Flat Opal	2	3	3	3	2	2
	Round opal	3	3	3	3	3	3
Surface slim profile 15x6 mm	QMS   Cover Flat Opal PU 3 m   G2	2	2	2	2	2	2
	QMS   Cover Flat Transparent PU 3 m   G2	1	1	1	1	1	1
Surface slim profile 16x12 mm	QMS   Cover Flat Opal PU 3 m   G1	2	3	3	3	2	2
	QMS   Cover Flat Transparent PU 3 m   G1	1	1	1	1	1	1
Optical surface slim profile 12x16 mm	QMS   Cover Optical Round Transparent PU 3 m   G1	1	1	1	1	1	1
Surface wide profile 26x10 mm	QMW   Cover Round Frosted PU 2m   G2	3	3	3	3	3	3
	QMW   Cover Round Frosted PU 2 m   G2	3	3	3	3	3	3
Surface wide profile 26x25 mm	QMW   Cover Flat Frosted PU 2 m   G2	3	3	3	3	3	3

3 levels of uniformity:



	Indoor / Outdoor					
LINEARlight FLEX	Infinite (80)	Uniformity (140)	Tunable White (160)	Monochrome (120)	RGB (50)	RGB(W) (60)
TEC FLEX	Power (70)	Shortpitch (140)	Tunable White (160)		RGB (50)	RGB(W) (60)

RECESSED							
Recessed slim profile 15x6mm	QMS   Cover Flat Frosted PU 3 m   G1	2	3	3	3	2	2
	QMS   Cover Flat Transparent PU 3 m   G1	1	1	1	1	1	1
Recessed slim profile 16x12mm	QMS   Cover Flat Opal PU 3 m   G1	2	3	3	3	2	2
	QMS   Cover Flat Transparent PU 3 m   G1	1	1	1	1	1	1
Recessed wide profile 26x25mm	QMW   Cover Round Frosted PU 2 m   G2	3	3	3	3	3	3

	Indoor / Outdoor					
LINEARlight FLEX	Infinite (80)	Uniformity (140)	Tunable White (160)	Monochrome (120)	RGB (50)	RGB(W) (60)
TEC FLEX	Power (70)	Shortpitch (140)	Tunable White (160)		RGB (50)	RGB(W) (60)

SPECIAL							
Corner surface slim profile 19x19 mm	QMS   Cover Flat Opal PU 3 m   G1	2	3	3	3	2	2
	QMS   Cover Flat Transparent PU 3 m   G1	1	1	1	1	1	1
Corner surface wide profile 46x27 mm	QMW   Cover Round Frosted PU 2 m   G2	3	3	3	3	3	3
	QMW   Cover Flat Frosted PU 2 m   G2	2	2	2	2	2	2
Pendant wide profile 56x70 mm	QMP   Cover Flat Frosted PU 1 m   G1	3	3	3	3	3	3
	QMP   Cover Flat Microprismatic PU 1 m   G1	3	3	3	3	3	3
Wall profile 25x110 mm	Cover	2	3	3	3	2	2

# FLEX SUMMARY

## LINEARlight FLEX

	Max Length	LEDs/m	FLUX	CCTs	CRIs	IP	Efficiency	Step Mac Adam	Input	Made in Italy	Warranty	Lifetime	Certifications
Infinite	Up to 18m	80 LEDs/m	From 500 to 4000 lm/m	2400K 2700K 3000K 4000K Other CCTs upon request	80+ 90+	IP00 IP68	Up to 167 lm/W	<2	24 & 48V	✓	7	L80B10 @60kh	CE, UKCA, ENEC, VDE, CrUS
Uniformity	Up to 10m	140 LEDs/m	From 800 to 2000 lm/m	2400K 2700K 3000K 4000K Other CCTs upon request	80+ 90+ 95+	IP00 IP68	Up to 140 lm/W	<2	24V	✓	7	L80B10 @60kh	CE, UKCA, ENEC, VDE, CrUS
Tunable White	Up to 5m	167 LEDs/m	From 1100 to 3400 lm/m	2700-5700K 2500-4000K	90+	IP00 IP68	-	<2	24V	✓	7	L80B10 @60kh	CE, UKCA, ENEC, VDE, CrUS
RGB(W)	Up to 5m	60 LEDs/m	From 600 to 1300 lm/m	2200K / 2700K / 3000K / 4000K / 6500K (on white)	80+ 90+ (on white)	IP00 IP68	-	<3	24V	✓	7	L80B10 @60kh	CE, UKCA, ENEC, VDE, CrUS
Monochrome	Up to 10m	60 LEDs/m	240 (red) / 640 (blue) / 130 (green) lm/m	-	-	IP00 IP68	-	<3	24V	✓	7	L80B10 @60kh	CE, UKCA, ENEC, VDE, CrUS




# FLEX SUMMARY

## TEC FLEX


	Max Length	LEDs/m	FLUX	CCTs	CRIs	IP	Efficiency	Step Mac Adam	Input	Made in Italy	Warranty	Lifetime	Certifications
Power 	Up to 5m	70 LEDs/m	From 300 to 2000 lm/m	2400K 2700K 3000K 4000K	80+ 90+	IP00 IP67	Up to 133 lm/W	<3	24V	×	5	L70B50 @50kh	CE, UKCA, ENEC
Shortpitch 	Up to 5m	140 LEDs/m	From 600 to 2000 lm/m	2400K 2700K 3000K 4000K	80+ 90+	IP00 IP67	Up to 131 lm/W	<3	24V	×	5	L70B50 @50kh	CE, UKCA, ENEC
Tunable White 	Up to 5m	140 LEDs/m	1820 lm/m	2700-6500K	80+	IP00 IP67	-	<3	24V	×	5	L70B50 @50kh	CE, UKCA, ENEC
RGB 	Up to 5m	Up to 120 LEDs/m	-	3000K (on white)	80+ (on white)	IP00 IP67	-	<3	24V	×	5	L70B50 @50kh	CE, UKCA, ENEC

## ICONS


---




Surface Application




Recessed Application




Corner Surface Application



Only for indoor installation




Indoor and outdoor installation \*



Customizable kit upon request

## CERTIFICATIONS AND NOTES

---



CE



UKCA



Made in Europe



RoHS

### \* Notes:

All profiles and their accessories, present in the document, are compatible with the use of our CV modules (see match table) as they do not alternate their specifications.

All profiles and accessories are tested in their mechanical functionality, therefore, it is allowed to use the accessory in the specified application (excluding situations where the installer will not follow the installation instructions).

On an aesthetic level, we inform that, depending on the material, profiles and accessories may undergo aesthetic alterations depending on the environment in which they will be installed.

The profiles are compatible with outdoor installations (where specified) in their mechanical and functional parts.

Accessory covers contain UV protection (however, this does not exclude cases of long-term yellowing of the material).

The image features two decorative orange lines. One line starts at the top left, goes down and right, then curves to go up and right, ending at the left edge. The other line starts at the top right, goes down and left, then curves to go up and left, ending at the right edge. Both lines are thick and vibrant orange.

Building a brighter future

**Service contact:**

Inventronics GmbH  
Parkring 31-33,  
85748 Garching,  
Germany

[www.inventronicsglobal.com/ds](http://www.inventronicsglobal.com/ds)  
[support@inventronicsglobal.com](mailto:support@inventronicsglobal.com)

**inventronics**